FMEC Interconnection Application – over 20 kW (AC)

Persons interested in applying for the interconnection of a distributed energy resource to the Freeborn-Mower Electric Cooperative's distribution system through the Fast Track or Study Processes are to fill out this Interconnection Application. The Interconnection Application is to be filled out completely by the applicant or as noted in each section of the application. The Utility will contact the applicant within 10 business days once the Interconnection Application and the corresponding processing fee is submitted to the Utility. The Utility will then notify the applicant of the completeness of their application. If the application is deemed incomplete by the Utility, the Utility will provide the applicant with a list of missing material. The applicant will then have 10 business days to provide the Utility with this information or request an extension, otherwise the application will be deemed incomplete and the applicant will lose their place in the queue. Section that are noted with * are required to be filled out.

Checklist for Submission to Utility				
The items below shall be included with submittal of the Interconnection Application Failure to include all items will deem the Interconnection Application inco	•			
	Included			
Non-Refundable Processing Fee				
Fast Track				
 \$100 + \$1/kW for Certified Systems 	☐ Yes			
 \$100 + \$2/kW for Non-Certified Systems 	□ 162			
Study Process				
 \$1,000 + \$2/kW down payment. Additional study fees may apply. 				
One-line diagram				
 This one-line diagram must be signed and stamped by a Professional 				
Engineer licensed in Minnesota if the DER is uncertified greater than 20 kW	☐ Yes			
AC or if certified system is over 250 kW.	— 163			
 Details required on one-line diagram specified at the end of the 				
interconnection application.				
Schematic drawings for all protection and control circuits, relay current circuits, relay potential circuits, and alarm/monitoring circuits	☐ Yes			
Inverter Specification Sheet(s) (if applicable)	☐ Yes			
Documentation that describes and details the operation of protection and control schemes	☐ Yes			
Documentation showing site control	☐ Yes			
Aerial map showing DER system layout including major roadways and true north	☐ Yes			
 Possible Additional Documentation If the DER export capacity is limited, include information material explaining capabilities. If Energy Storage is included with the proposed DER system include the Energy Application. 	_			

General *					
Select Review Proce	ss: 🔲 Fast Track Pr	☐ Study P	rocess		
Application is for:	☐ New Distribution Energy Resource	apacity Addition or M o Existing Distributed	Naterial Modification d Energy Resource		
If Capacity Addition	or Material Modification to exis	sting faci	lity, please describe:		
Distributed Energy F	Resource will be used for what r	eason? (Check all that apply):		
☐ Net Metering	☐ Supply Po	wer to In	terconnection Custo	mer	
☐ Supply Power to	Area EPS				
Installed DER Systen	n Cost (before incentives):		\$		
Interconnection	Customer *				
Full Name (must ma	tch the name of the existing se	rvice acc	ount):		
Account Number:		Meter N	lumber:		
Mailing Address:					
City:			State:	Zip Code:	
Email:		Phone:			

^{*} Indicates section must be completed.

Application Agen	t *							
Is the Customer using	Customer using an Application Agent for this application?						No	
If Interconnection Customer is not using an Application Agent, please skip to the next section.						ion.		
Application Agent:								
Company Name:								
Email:				Phone:				
Distributed Energ	gy Resource II	nformatio	า *					
Estimated Installation	Date:							
Location (if different f	rom mailing add	ress of Interc	onnection Custo	omer):				
Will the Proposed DEF	R system be inter	connected to	an existing ele	ctric ser\	/ice?	ПΥ	es	□ No
Is the Distributed Ene	rgy Resource a si	ngle generati	ng unit or multi	ple?	□ Si	ingle		1ultiple
DER Type (Check all th	nat apply):			1				
☐ Solar Photovoltaic		☐ Wind			□ E	nergy	Storag	;e
☐ Combined Heat and	d Power	☐ Solar	Thermal		Пο	ther (p	olease	specify)
DER systems with E	Energy Storage m	nust also subr	nit the Energy S	torage A	\pplica	tion to	the L	Itility.
Total Number of Distr	= -							
interconnected pursua				Псы	agla Dk	, aco I	☐ Thr	oo Dhaca
Phase configuration of Distributed Energy Resource(s):					e Phase			
Type of Generator:	☐ Inverter		Synchronous] Indu	ction	
Aggregate DER Capacity (the sum of nameplate capacity of all generation and storage devices at the PCC):								
		kW _{ac}						kVA _{ac}

^{*} Indicates section must be completed.

Export Capacity Limitation *					
Is the export capability of the DER limited?		☐ Yes	□ No		
If the DER export capacity is limited, complete the following sections and include information mate explaining the limiting capabilities.					
Maximum Physical Export Capacity Requested:			kWac		
If Yes, please provide additional details describing r	method of export limitat	tion:			
Load Information *					
Interconnection Customer's or Customer-sited Load	d:		kW _{ac}		
Typical Reactive Load (if known):					
Equipment Certification *					
Is the DER equipment certified?	☐ Yes	s □ No			
Please list all IEEE 1547 certified equipment below. Include all certified equipment manufacturer specification sheets with the Interconnection Application submission.					
Equipment Type	Certif	ying Entity			
1					
3					
4					

^{*} Indicates section must be completed.

Prime Mover *							
Please indicate the prin	ne mover:						
☐ Solar Photovoltaic		☐ Microturbine			iel Cel	I	
☐ Reciprocating Engine	е	☐ Gas Turbir	ne	□ Ot	her (p	lease specif	·y)
Is the prime mover compatible with certified protection equipment package?					□No		
DER Manufacturer:		Model Name	& Number:		Vers	ion:	
List of Adjustable Set P	oints for Pro	I tection Equipm	ent or Softw	are:			
Summer Name Plate Ra	ating:	kW _{ac}	Summer N	ame Plate R	ating:		kW _{ac}
Winter Name Plate Rat	ing:	kVA _{ac}	Winter Nar	ne Plate Rat	ing:		kVA _{ac}
Rated Power Factor:	Leading:	Leading: Laggi					
A completed Pow	er System Lo		heet must be cation.	supplied wi	th the	Interconne	ction
Only appropriate	e sections be	yond this point	until the sig	nature page	are to	o be comple	ted.
Distributed Energy R	esource Cha	aracteristic Da	ata (for Inve	erter-hased	mac	hines)	
				Jacob Basea	mac		
Max design fault contri			oous or DMS				
Is your response to the previous field an Instantaneous or RMS measurement?			` <u> </u>] Insta	antaneous	□ RMS	
Harmonic Characteristi	cs:						
Start-up Requirements	:						

^{*} Indicates section must be completed.

Distributed Energy Resource Characteristic Data (for Synchronous machines)				
RPM Frequency:	Neutral Grounding Resistor:			
Direct Axis Synchronous Reactance, X_d :	Zero Sequence Reactance, X_0 :			
Direct Axis Transient Reactance, X'_d :	KVA Base:			
Direct Axis Subtransient Reactance, X_d'' :	Field Volts:			
Negative Sequence Reactance, X_2 :	Field Amperes:			

Please provide the appropriate IEEE model block diagram of excitation system, governing system and power system stabilizer (PSS) in accordance with the regional reliability council criteria. A PSS may be determined to be required by applicable studies. A copy of the manufacturer's block diagram may not be submitted.

Distributed Energy Resource Characteristic Data (for Induction machines)					
RPM Frequency:	Neutral Grounding Resistor:				
Motoring Power (kW):	Exciting Current:				
Heating Time Constant:	Temperature Rise:				
Rotor Resistance, R_r :	Frame Size:				
Stator Resistance, R_s :	Design Letter:				
Stator Reactance, X_s :	Reactive Power Required In Vars (No Load):				
Rotor Reactance, X_r :	Reactive Power Required In Vars (Full Load):				
Magnetizing Reactance, X_m :	Total Rotating Inertia, H:				
Short Circuit Reactance, X_d'' :					

Interconnection Fac	cilities I	nformation					
Will a transformer be used between the DER and the Point of Common Coupling?						□ Yes	□No
Will the transformer be put of the field of		•	ection	Customer?		□ Yes	□No
Proposed location of protective interface equipment on property:							
Transformer Data (For In	Transformer Data (For Interconnection Customer-Owned Transformer)						
What is the phase config	uration c	of the transformer	?		☐ Sing	le Phase	☐ Three Phase
Size (kVA):		Transformer Imp	oedan	ce (%):	On kVA	Base:	
Transformer Volts: (Primary)	Delta:	<u> </u>	Wye	:		Wye Gr	ounded:
Transformer Volts: (Secondary)	Delta:		Wye			Wye Grounded:	
Transformer Volts: (Tertiary)	Delta:	Wye:			Wye Grounded:		
Transformer Fuse Data (F	or Interd	connection Custor	ner-O	wned Fuse)			
Manufacturer:	Type:		Size:		Speed:		
Interconnecting Circuit B	reaker (F	or Interconnectio	n Cust	tomer-Owne	ed Circuit	t Breaker)
Manufacturer:			Туре	:			
Load Rating (in Amps):		Interrupting Rat	ing (In	Amps):	Trip Speed (Cycles):		
Interconnection Protection	ve Relays	(For Microproces	ssor Co	ontrolled Re	lays)		
Setpoint Function			Minir	num		Maximum	

Interconnection Protective Relays (For Relays with Discrete Components)					
Manufacturer:	Type:	Туре:		D.:	Proposed Setting:
Manufacturer:	Туре:		Style/Catalog No	D.:	Proposed Setting:
Manufacturer:	Туре:		Style/Catalog No	D.:	Proposed Setting:
Manufacturer:	Туре:	Туре:		D.:	Proposed Setting:
Manufacturer:	Туре:	Туре:		D.:	Proposed Setting:
Current Transformer I	Data:				
Manufacturer:	Туре:	Accu	racy Class:	Propos	sed Ratio Connection:
Manufacturer:	Туре:	Accu	Accuracy Class:		sed Ratio Connection:
Potential Transformer	Data:				
Manufacturer:	Туре:	Accu	racy Class:	Propos	sed Ratio Connection:
Manufacturer:	Туре:	Accu	Accuracy Class:		sed Ratio Connection:

For Office Use Only			
Application ID:			
Date Received:	Application Fee Received:	☐ Yes	□ No
Date Completed:			

Interconnection Agreement *		
Propose DER interconnections that are also deemed Qualifying Facilities less than Minnesota Statute 216B.164 are eligible to sign the Utility's Uniform Contract for Small Power Production Facilities. Included in this agreement are payment terms generated by the proposed DER system the Utility may purchase. In lieu of the Utility Contract for Cogeneration and Small Power Production Facilities, the Interconnectionse to instead sign the Utility's Distribution Interconnection Agreement.	Cogeneration for excess partifor	on and oower m
The Interconnection Customer requests an Interconnection Agreement to be executed in lieu of the Utility's Uniform Contract for Cogeneration and Small Power Production Facilities.	☐ Yes	□No

Disclaimers – Must be completed by Interconnection Customer *	
	Initials
The Interconnection Customer has opportunities to request a timeline extension	
during the interconnection process. Failure by the Interconnection Customer to	
meet or request an extension for a timeline outlined in the Interconnection Process	
could result in a withdrawn queue position and the need to re-apply.	
Propose DER interconnection to the Utility's distribution submitted under the Fast	
Track Process may be moved into the Study Process if engineering screens are failed	
during the Interconnection Application review.	

Application Signature – Must be completed by Interconnection Customer *	
I designate the individual or company listed as my Application Agent to agent for the purpose of coordinating with the Area EPS Operators on rethroughout the interconnection process.	•
I hereby certify that, to the best of my knowledge, the information provided in this Application is true, and that I have appropriate Site Control in conformance with the Interconnection Process. I agree to abide by the Terms and Conditions of the Interconnection Process and will inform the Utility if the proposed DER system changes from the details listed in this Interconnection Application.	
Applicant Signature:	Date:
Please print clearly or type and return completed along with any additional documentation	

Information Required on One-Line Diagram

An Interconnection Application must include a site electrical one-line diagram showing the configuration of all Distributed Energy Resource equipment, current and potential circuits, and protection and control schemes. The one-line diagram shall include:

- Applicant name.
- Application ID.
- Installer name and contact information.
- Address where DER system will be installed must match application address.
 - O Be sure to list the address for the protective interface equipment if the protective interface equipment is located at a different address than the DER system.
- Correct positions of all equipment, including but not limited to panels, inverter, and DC/AC disconnect. Include distances between equipment, and any labeling found on equipment.

This one-line diagram must be signed and stamped by a Minnesota licensed Professional Engineer if the Distributed Energy Resource is larger than 20 kW (if uncertified) and 250 kW (if certified.)